

DATA SHEET

CT 195-08


JIB LENGHT = 60 m
LIFTING CAPACITY
TIP LOAD = 2,37 t @ 60,0 m
MAX LOAD = 8 t @ 20,6 m



GP CRANES S.R.L. Sede Legale: Via Sardegna, 32A
Sede operativa: Via Toscanini, 8 - 20020 MAGNAGO
(MI) - Tel. +39 0331 929092 - Email info@gpcranes.it



GENERAL CONFIGURATION / CONFIGURATION GÉNÉRALE CONFIGURAZIONE GENERALE / ALLGEMEINE EINSTELLUNGEN



CE EN 13001 - EN 14439 C25/D25



LOAD DIAGRAMS / DIAGRAMME DE CHARGE DIAGRAMMA DI PORTATA / LADUNGSDIAGRAMME

DIAGRAMMA CT 195-04 Megalift																			
Jib (m):	Load 4 t:	19	20	21	22	24	26	28	30	33	36	39	42	45	48	51	54	57	60
60	38,9	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	3,99	3,66	3,37	3,12	2,90	2,70	2,52	2,37
57	39,7	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	3,74	3,45	3,19	2,96	2,76	2,59	
54	40,2	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	3,79	3,50	3,24	3,01	2,81		
51	40,9	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	3,88	3,58	3,31	3,08			
48	41,9	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	3,99	3,68	3,41				
45	42,0	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	3,69					
42	42,0	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00					
39	39,0	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00							
36	36,0	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00								
33	33,0	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00									
30	30,0	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00										
28	28,0	4,00	4,00	4,00	4,00	4,00	4,00	4,00											




DIAGRAMMA CT 195-08 Megalift																			
Jib (m):	Load 8 t:	19	20	21	22	24	26	28	30	33	36	39	42	45	48	51	54	57	60
60	20,6	8,00	8,00	7,82	7,42	6,73	6,15	5,65	5,22	4,67	4,22	3,84	3,52	3,23	2,99	2,77	2,58	2,41	2,26
57	21,0	8,00	8,00	8,00	7,60	6,89	6,29	5,78	5,35	4,79	4,33	3,94	3,61	3,32	3,07	2,85	2,65	2,48	
54	21,3	8,00	8,00	8,00	7,71	6,99	6,39	5,87	5,43	4,86	4,40	4,00	3,66	3,37	3,12	2,89	2,70		
51	21,7	8,00	8,00	8,00	7,89	7,16	6,54	6,01	5,56	4,98	4,50	4,10	3,76	3,46	3,20	2,97			
48	22,3	8,00	8,00	8,00	8,00	7,36	6,73	6,19	5,72	5,13	4,64	4,23	3,87	3,57	3,30				
45	22,3	8,00	8,00	8,00	8,00	7,38	6,74	6,20	5,73	5,14	4,65	4,24	3,88	3,58					
42	23,0	8,00	8,00	8,00	8,00	7,62	6,96	6,40	5,92	5,31	4,81	4,38	4,02						
39	23,5	8,00	8,00	8,00	8,00	7,83	7,16	6,59	6,09	5,47	4,95	4,51							
36	23,8	8,00	8,00	8,00	8,00	7,92	7,24	6,66	6,16	5,53	5,01								
33	24,3	8,00	8,00	8,00	8,00	8,00	7,41	6,82	6,31	5,67									
30	24,7	8,00	8,00	8,00	8,00	8,00	7,56	6,95	6,44										
28	25,0	8,00	8,00	8,00	8,00	8,00	7,65	7,04											




Senza il sistema Megalift tutte le portate intermedie diminuiscono del 10%
All intermediate loads are decreased of 10% if the crane is not equipped with Megalift control
Les charges intermédiaires sont diminuées du 10% si la grue n'est pas équipé d'un contrôle Megalift

TOWER CONFIGURATION / MAT-RÉACTIONS CONFIGURAZIONE TORRI / TURM-KONFIGURATION




			HUH
	BC045-08B	R1 868	+0,0
	BC045-08C	R1 868	+0,4
	BC045-08B+ZV-04-001	R1 868	+0,5

TT17S



	EE17S	R1 1359	R2 1073
--	-------	---------	---------

TT17S



	EE-17B	R1 2309	R2 1994
--	--------	---------	---------

TT17B



MECHANISMS / MÉCANISMES MECCANISMI / MECHANISMEN













	WH300	kW	Hp	m	ø mm	speed	Kg 	m/min 	Kg 	m/min
		30	40	450	12	1	8.000	3,5	4.000	7
						2	8.000	10	4.000	20
						3	7.600	19,5	3.800	39
						4	5.400	29	2.700	58
5	3.800					39	1.900	78		
5*	1.500	47	750	98						

	WH370	kW	Hp	m	ø mm	speed	Kg 	m/min 	Kg 	m/min
		37	50	450	12	1	8.000	4	4.000	8
						2	8.000	12,5	4.000	25
						3	7.600	21	3.800	42
						4	5.400	37,5	2.700	75
5	3.800					50	1.900	100		
5*	1.500	58	750	116						

		5,5 kW
		2 x 7,5 kW
		2 x 3 kW
<p>Velocità regolata automaticamente da sensore di corrente / Speed automatically controlled by a current sensor / Vitesse réglée automatiquement par capteur de courant</p>		

		WH30 - 43,75 kVA	IEC 60204-32 400V - 50Hz
		WH37 - 50,00 kVA	
		//	2000/14CE MODIFICATA
		//	

PACKING LIST / LISTE DE COLISAGE / LISTA DEI COLLI / VERPACKUNGSLISTE













Description Description Descrizione Beschreibung	QTY	Graphic display Représentation graphique Rappresentazione grafica Grafikdarstellung	H (mm)	L (mm)	W (mm)	Kg/each
	CODE					
Jib element Elément de fleche Elemento freccia Auslegerelement	1		2295	5176	1220	1690
	00-01-268					
	1		2275	6152	1130	1090
	00-01-269					
	1		2275	6152	1130	965
	00-01-271					
	1		2255	3262	1130	483
	00-01-272					
	1		2255	6135	1130	810
	00-01-273					
	1		2235	6112	1130	726
	00-01-274					
	1		1840	6111	1130	667
	00-01-275					
1		1500	6111	1130	575	
00-01-276						
1		1500	6110	1130	478	
00-01-277						
1		1500	6054	1130	410	
00-01-278						
1		1490	5976	1130	371	
00-01-279						
Jib point Elément pointe Puntale freccia Auslegerspitze	1		732	1680	1230	80
	00-01-281					



PACKING LIST / LISTE DE COLISAGE / LISTA DEI COLLI / VERPACKUNGSLISTE

Description Description Descrizione Beschreibung	QTY	Graphic display Représentation graphique Rappresentazione grafica Grafikdarstellung	H (mm)	L (mm)	W (mm)	Kg/each
	CODE					
Complete counterjib during transport. Contre-flèche complète pendant le transport. Controfreccia completa in fase trasporto. Vollständiger Gegenausleger beim Transport.	1		2485	11945	2236	8140
	CT 195					
Turntable Partie tournante Girevole Drehscheibe	1		3180	2940	2160	3895
	00-07-001					
Counterjib Contreflèche Controfreccia Gegenspitze	1		1676	9450	2192	4250
	00-08-001					
Terminal element Elément terminal Portablocchi Anschlusselement	1		1433	3195	1945	600
	00-08-003					
Counterweight block Contre-poids Blocchi di contrappeso Block mit Gegengewicht	3		500	2850	1420	3650
	ZV-01-004					
	6		200	2850	1420	1480
	ZV-01-005					
Access balcony + cabin Porte cabine + cabine Ballatoio + cabina Zugangsbalkon + Kabine	1		2252	3140	2370	960
	00-02-004 + CB-00-001					
Cabin Cabine Cabina Kabine	1		2162	2445	1690	620
	CB-00-001					
Cabin balcony Porte cabine Ballatoio cabina Zugang zum Balkon	1		1905	2080	2200	340
	00-02-003					
Base ballast block Lest de base Blocchi zavorra Basis-Ballastblock	1		450	4300	1200	5100
	ZV-02-001					
	1		300	3600	1200	2950
	ZV-02-002					
Concrete pad Sabot en béton Blocco di appoggio Betonplatte	4		520	3100	1200	4400
	ZV-04-001					

PACKING LIST / LISTE DE COLISAGE / LISTA DEI COLLI / VERPACKUNGSLISTE

Description Description Descrizione Beschreibung	QTY	Graphic display Représentation graphique Rappresentazione grafica Grafikdarstellung	H (mm)	L (mm)	W (mm)	Kg/each
	CODE					
Tower element TT15S Elément de mature TT15S Elemento di torre TT15S Turm-Element TT15S	1		1700	2950	1500	1175
	TT15S-03					
	1		1700	5900	1500	2015
	TT15S-06					
	1		1700	11800	1500	3735
	TT15S-12					
Tower element TT15B Elément de mature TT15B Elemento di torre TT15B Turm-Element TT15B	1		1700	5900	1500	2451
	TT15B-06					
	1		1700	11800	1500	4470
TT15B-12						
Tower element TT17S Elément de mature TT17S Elemento di torre TT17S Turm-Element TT17S	1		1900	2950	1700	1310
	TT17S-03					
	1		1900	5900	1700	2370
	TT17S-06					
	1		1900	11800	1700	4325
	TT17S-12					
Tower element Elément de mature Elemento di torre Turm-Element	1		1900	11800	1700	5424
	TT17B-12					
Adapter element Élément adaptateur Elemento adattatore Adapter-Element	1		1900	5900	1700	2230
	AT-1715-06					
Embedded element Pied de Scellement Tronchetto di fondazione Eingebettetest Element	1		1780	1465	1500	780
	EE-15S					
Embedded element Pied de Scellement Tronchetto di fondazione Eingebettetest Element	1		1980	1465	1700	830
	EE-17S					



PACKING LIST / LISTE DE COLISAGE / LISTA DEI COLLI / VERPACKUNGSLISTE

Description Description Descrizione Beschreibung	QTY	Graphic display Représentation graphique Rappresentazione grafica Grafikdarstellung	H (mm)	L (mm)	W (mm)	Kg/each
	CODE					
Base Complete Base Complète Base Completa Komplette Kreuzbasis	1		1265	6784	1450	5485
	BC045-08					
Base Main Beam Poutre de Chassis Trave Principale Hauptstrahl	1		1020	6784	730	2541
	CP12014					
Base Half Beam-Right Semipoutre de Chassis-D Semitrave-DX Halber Strahl-Rechts	1		1185	3337	725	1472
	CP12015					
Base Half Beam-Left Semipoutre de Chassis-G Semitrave-SX Halber Strahl-Links	1		1185	3337	725	1472
	CP12016					
Idle Bogie Boggie Neutral Carrello Traslaz. Folle Leerlaufdrehgestell	2		540	1080	230	600
	TR02001					
Driven Bogie Boggie Motorisée Carrello Traslaz. Motorizz. Angetriebenes Drehgestell	2		540	1310	515	770
	TR02002					